Safety data sheet



	according to 1907/2	006/EC, Article 31
Printing date 12.	10.2013	Revision: 14.08.2012
1 Product a	and Company Identification	
· Product ide	entifier HARDENERS	
· Trade name	e: <u>H666 2K RMC HARDENER NORN</u>	<u>IAL</u>
Use as pain	lentified uses of the substance or n t hardener	nixture and uses advised against refer to the relevant Technical Data Sheet
	he supplier of the safety data sheet int Co. S.A.L. artment-	t
www.genera Manufactur General Pai TURBO P.O. Box 76 Beirut LEBANON info@genera	r er/Supplier: Int Co. SAL 123	safety department
Linergeney		
2 Hazards i	identification	
· Classificati	on of the substance or mixture	
• Classificati	on according to Directive 67/548/El rmful	EC or Directive 1999/45/EC
R20/21:	Harmful by inhalation and in contac	et with skin.
Xi; Irrita	ant	
R36/37/38:	Irritating to eyes, respiratory systen	n and skin.
The produc guideline for · Classificati	r preparations of the EU" in the latest on system: cation is according to the latest editic ta.	culation procedure of the "General Classification valid version. The provident of the EU-lists, and extended by company and
· Label elem		
· Labelling a	ccording to EU guidelines:	
The produc	t has been classified and marked in	n accordance with ELL Directives / Ordinance on

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· Code letter and hazard designation of product:



Xn Harmful

· Hazard-determining components of labelling: Homopolymer of hexamethylene diisocyanate xylene

(Contd. on page 2)

LB



Printing date 12.10.2013

Revision: 14.08.2012

Trade name: H666 2K RMC HARDENER NORMAL

(Contd. of page 1)

- · Risk phrases:
- 10 Flammable.

20/21 Harmful by inhalation and in contact with skin. 36/37/38 Irritating to eyes, respiratory system and skin.

· Safety phrases:

2 Keep out of the reach of children.

36/37 Wear suitable protective clothing and gloves.

- 46 If swallowed, seek medical advice immediately and show this container or label.
- 56 Dispose of this material and its container to hazardous or special waste collection point.

· Special labelling of certain preparations:

Contains isocyanates. See information supplied by the manufacturer

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous	components:	
1330-20-7	xylene Xn R20/21; Xi R38 R10	25-50%
	R10 Homopolymer of hexamethylene diisocyanate Xn R20/21; X IR36/37/38	25-50%
	2-methoxy-1-methylethyl acetate R10	10-25%
	information: For the wording of the listed risk phrases refer to section 16	

· Additional information: For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- · Description of first aid measures
- General information: Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 3)

I P



Printing date 12.10.2013

Revision: 14.08.2012

Trade name: H666 2K RMC HARDENER NORMAL

(Contd. of page 2)

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect from heat. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Protect from heat and direct sunlight.
- · Storage class: 3
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7. (Contd. on page 4)

₩4) ----LB-



· Ingredients with limit values that require monitoring at the workplace:

Printing date 12.10.2013

· Control parameters

Revision: 14.08.2012

(Contd. of page 3)

Trade name: H666 2K RMC HARDENER NORMAL

-	with mint values that require monitoring at the workplace.
1330-20-7 x	
IOELV (EU)	Short-term value: 442 mg/m ³ , 100 ppm
	Long-term value: 221 mg/m³, 50 ppm
	Skin
	methoxy-1-methylethyl acetate
IOELV (EU)	Short-term value: 550 mg/m³, 100 ppm
	Long-term value: 275 mg/m³, 50 ppm
	Skin
· Additional i	information: The lists valid during the making were used as basis.
 General pro Keep away f Immediately Wash hands Avoid contact Respiratory In case of bio 	rotective equipment: betective and hygienic measures: from foodstuffs, beverages and feed. remove all soiled and contaminated clothing a before breaks and at the end of work. ct with the eyes and skin. r protection: rief exposure or low pollution use respiratory filter device. In case of intensive or longer e self-contained respiratory protective device.
PI PI	rotective gloves
The glove i preparation.	material has to be impermeable and resistant to the product/ the substance/ the
Due to miss preparation/	ing tests no recommendation to the glove material can be given for the product/ the the chemical mixture.
degradation	the glove material on consideration of the penetration times, rates of diffusion and the
of quality an substances,	n of the suitable gloves does not only depend on the material, but also on further marks d varies from manufacturer to manufacturer. As the product is a preparation of several the resistance of the glove material can not be calculated in advance and has therefore ad prior to the application.
	time of glove material
has to be ob	
 Eye protect 	10N:

Eye protection:



Tightly sealed goggles

General Information	sical and chemical properties	
Appearance:		
Form:	Liquid	
Colour:	Clear	



Printing date 12.10.2013

Revision: 14.08.2012

Trade name: H666 2K RMC HARDENER NORMAL

	(Contd. of page
· Odour:	Characteristic
· Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	139 °C
· Flash point:	25 ℃
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	315 ℃
Decomposition temperature:	Not determined.
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive
	air/vapour mixtures are possible.
Explosion limits:	
Lower:	1.1 Vol %
Upper:	10.8 Vol %
Vapour pressure at 20 °C:	6.7 hPa
Density at 20 °C:	0.955 g/cm³
· Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wa	ater): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	63.0 <i>%</i>
VOC (EC)	601.2 g/l
Solids content:	37.0 %
• Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)



Printing date 12.10.2013

Trade name: H666 2K RMC HARDENER NORMAL

Revision: 14.08.2012

(Contd. of page 5)

11 To	xicolo	gic	al information
	ormatio Ite toxi		n toxicological effects :
· LD/	LC50 v	alue	es relevant for classification:
133	0-20-7	xyle	ne
Ora	I LD	050	4300 mg/kg (rat)
Den	mal LD	50	2000 mg/kg (rabbit)
· on t · on t · Sen · Adc The Clas	the skir the eye sitizati ditional produce	n: Irri e: Irri ion: I tox ct sl	It effect: ritant to skin and mucous membranes. itating effect. No sensitizing effects known. r icological information: hows the following dangers according to the calculation method of the General EU Guidelines for Preparations as issued in the latest version:

Irritant

2 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

- Danger to drinking water if even small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

· UN-Number		
· ADR, IMDG, IATA	UN1263	
· UN proper shipping name		
· ADR	1263 PAINT	



Printing date 12.10.2013

Revision: 14.08.2012

Trade name: H666 2K RMC HARDENER NORMAL

	(Contd. of pa	age
· IMDG, IATA	PAINT	
· Transport hazard class(es)		
· ADR, IMDG, IATA		
*		
Class	3 Flammable liquids.	
	3	
· Packing group		
· ADR, IMDG, IATA	III	
· Environmental hazards:		
• Marine pollutant:	No	
Special precautions for user	Warning: Flammable liquids.	
· Danger code (Kemler):	30	
EMS Number:	F-E, <u>S-E</u>	
Transport in bulk according to Annex	' ll of	
MARPOL73/78 and the IBC Code	Not applicable.	
Transport/Additional information:		
ADR		
Limited quantities (LQ)	5L	
Transport category	3	
· Tunnel restriction code	D/E	

15 Regulatory information

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

6 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

R10 Flammable.
R20/21 Harmful by inhalation and in contact with skin.
R36/37/38 Irritating to eyes, respiratory system and skin.
R38 Irritating to skin.

- · Department issuing MSDS: Product safety department
- · Contact: Ms. Topaljikian

LB