# Safety data sheet according to 1907/2006/EC, Article 31



Printing date 12.10.2013

Revision: 14.08.2012

Product identifier HARDENERS	
Trade name: <u>H909 GENPOX HARDENER</u>	
Article number: H909/T Relevant identified uses of the substance or mixture and uses Use as paint hardener Application of the substance / the preparation with paint	advised against
<b>Details of the supplier of the safety data sheet</b> General Paint Co. S.A.L. -Safety Department-	
For Further infomation, please consult our Internet site www.generalpaint.biz <b>Manufacturer/Supplier:</b> General Paint Co. SAL TURBO P.O. Box 7623 Beirut LEBANON info@generalpaint.biz	
Further information obtainable from: Product safety department Emergency telephone number: During normal opening times: (96	

	ation according to Directive 67/548/EEC or Directive 1999/45/EC Harmful
R63:	Possible risk of harm to the unborn child.
🗙 Xi; II	rritant
R36/38:	Irritating to eyes and skin.
🗙 Xi; S	Sensitising
R43:	May cause sensitisation by skin contact.
🐞 F; H	ighly flammable
R11:	Highly flammable.
🕎 N; D	angerous for the environment
R51/53:	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
The prod guideline · <b>Classific</b>	Vapours may cause drowsiness and dizziness. <b>ion concerning particular hazards for human and environment:</b> luct has to be labelled due to the calculation procedure of the "General Classification for preparations of the EU" in the latest valid version. <b>ation system:</b> sification is according to the latest editions of the EU-lists, and extended by company and data. (Contd. on page 2)



Printing date 12.10.2013

Revision: 14.08.2012

(Contd. of page 1)

# Trade name: H909 GENPOX HARDENER

· Label elements

## · Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

## · Code letter and hazard designation of product:



# Xn Harmful

F Highly flammable

- N Dangerous for the environment
- Hazard-determining components of labelling: Epichlorhydrin : epoxy resin toluene
- · Risk phrases:

11 Highly flammable.

36/38 Irritating to eyes and skin.

- 43 May cause sensitisation by skin contact.
- 51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- 63 Possible risk of harm to the unborn child.
- 67 Vapours may cause drowsiness and dizziness.

## · Safety phrases:

- 2 Keep out of the reach of children.
- 24/25 Avoid contact with skin and eyes.

29/56 Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

37/39 Wear suitable gloves and eye/face protection.

46 If swallowed, seek medical advice immediately and show this container or label.

## · Special labelling of certain preparations:

- Contains epoxy constituents. See information supplied by the manufacturer.
- Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.

## 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

25068-38-6	Epichlorhydrin : epoxy resin	50-100%
	🗙 Xi R36/38; 🗙 Xi R43; 摱 N R51/53	
67-63-0	propan-2-ol 🗙 Xi R36; 🔥 F R11 R67	10-25%
108-88-3	toluene Xn R48/20-63-65; X Xi R38; 🔥 F R11 R67 Repr. Cat. 3	2.5-10%

(Contd. on page 3)



Printing date 12.10.2013

## Trade name: H909 GENPOX HARDENER

(Contd. of page 2)

## 4 First aid measures

· Description of first aid measures

#### · After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

# 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents
   Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

## 7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

(Contd. on page 4)

LB



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.10.2013

Revision: 14.08.2012

## Trade name: H909 GENPOX HARDENER

(Contd. of page 3)

- $\cdot$  Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep container tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- Storage class: 3
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

## Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

## Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.10.2013

Revision: 14.08.2012

(Contd. of page 4)

# Trade name: H909 GENPOX HARDENER

· Eye protection:



Tightly sealed goggles

# 9 Physical and chemical properties

· General Information	
· Appearance: Form:	Fluid
Colour:	According to product specification
· Odour:	Characteristic
· Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	82 °C
· Flash point:	4 °C
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	425 °C
· Decomposition temperature:	Not determined.
· Self-igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosiv air/vapour mixtures are possible.
· Explosion limits:	
Lower:	2.0 Vol %
Upper:	12.0 Vol %
· Vapour pressure at 20 °C:	43 hPa
· Density at 20 °C:	1.055 g/cm³
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wa	iter): Not determined.
· Viscosity:	Not determined.
Dynamic: Kinematic:	Not determined. Not determined.
· Solvent content:	04004
Organic solvents:	24.8 %
VOC (EC)	262.1 g/l
Solids content:	75.2 %
· Other information	No further relevant information available.

(Contd. on page 6)



Printing date 12.10.2013

Revision: 14.08.2012

## Trade name: H909 GENPOX HARDENER

(Contd. of page 5)

## 10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 1 Toxicological information

- Information on toxicological effects
- · Acute toxicity:

## · LD/LC50 values relevant for classification:

## 108-88-3 toluene

Oral	LD50	5000 mg/kg (rat)
Dermal	LD50	12124 mg/kg (rabbit)
Inhalative	LC50/4 h	5320 mg/l (mouse)

#### · Primary irritant effect:

- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant

# 12 Ecological information

## · Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Ecotoxical effects:
- · Remark: Toxic for fish
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 7)



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.10.2013

Revision: 14.08.2012

## Trade name: H909 GENPOX HARDENER

(Contd. of page 6)

# 13 Disposal considerations

## · Waste treatment methods

#### · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

## · Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

Transport information	
· UN-Number · ADR, IMDG, IATA	UN1263
· UN proper shipping name · ADR · IMDG	1263 PAINT, ENVIRONMENTALLY HAZARDOUS PAINT (Epichlorhydrin : epoxy resin ), MARINE POLLUTANT
	PAINT
<ul> <li>Transport hazard class(es)</li> </ul>	
ADR, IMDG	
· Class	3 Flammable liquids.
· Label	3
	3 Flammable liquids.
	3
· Packing group · ADR, IMDG, IATA	ll
· Environmental hazards:	Product contains environmentally hazardou substances: Epichlorhydrin : epoxy resin Yes
· Marine pollutant:	Symbol (fish and tree)
· Special marking (ADR):	Symbol (fish and tree)
<ul> <li>Special precautions for user</li> <li>Danger code (Kemler):</li> <li>EMS Number:</li> </ul>	Warning: Flammable liquids. 33 F-E, <u>S-E</u>
<ul> <li>Transport in bulk according to Annex MARPOL73/78 and the IBC Code</li> </ul>	ll of Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Transport category	5L 2
	(Contd. on page

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.10.2013

Revision: 14.08.2012

(Contd. of page 7)

I R

Trade name: H909 GENPOX HARDENER

· Tunnel restriction code

D/E

# 5 Regulatory information

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

R11 Highly flammable.

R36 Irritating to eyes.

R36/38 Irritating to eyes and skin.

R38 Irritating to skin.

R43 May cause sensitisation by skin contact.

R48/20 Harmful: danger of serious damage to health by prolonged exposure through inhalation. R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R63 Possible risk of harm to the unborn child.

R65 Harmful: may cause lung damage if swallowed.

R67 Vapours may cause drowsiness and dizziness.

- · Department issuing MSDS: Product safety department
- · Contact: Ms. Topaljikian