# Safety data sheet according to 1907/2006/EC, Article 31



Printing date 12.10.2013

Revision: 13.08.2012

# 1 Product and Company Identification

- · Product identifier CLEARS
- · Trade name: <u>C010 2K CLEAR</u>
- · Article number: C010
- Relevant identified uses of the substance or mixture and uses advised against Use as clear over base
- · Application of the substance / the preparation refer to the relevant Technical Data Sheet
- **Details of the supplier of the safety data sheet** General Paint Co. S.A.L -Safety Department-

For further information, please consult ou Internet site www.generalpaint.biz Manufacturer/Supplier:

General Paint Co. SAL TURBO P.O. Box 7623 Beirut LEBANON info@generalpaint.biz

- · Further information obtainable from: Product safety department
- Emergency telephone number: During normal opening times: (961) 9 925990 /1/2

#### 2 Hazards identification

#### · Classification of the substance or mixture

- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC
- R10-52/53-67: Flammable. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Vapours may cause drowsiness and dizziness.
- · Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

#### Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

#### · Label elements

#### · Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

#### · Risk phrases:

10 Flammable.

- 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- 67 Vapours may cause drowsiness and dizziness.

#### Safety phrases:

- 1/2 Keep locked up and out of the reach of children.
- 9 Keep container in a well-ventilated place.
- 29/56 Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.
- 46 If swallowed, seek medical advice immediately and show this container or label.

(Contd. on page 2)

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.10.2013

## Trade name: C010 2K CLEAR

(Contd. of page 1)

Revision: 13.08.2012

# · Special labelling of certain preparations:

Contains neodecansäureglycidylester, 2-hydroxyethyl methacrylate, methyl methacrylate, bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate, s-3-(3-(2h-benzotriazol-2-yl)-5-t-butyl-4hydroxyphenyl)propionol-ohydroxypoly(oxyethylene);a-3-(3-(2h-benzotriazol-2-yl)-5-butyl-4hydroxyphenyl)propionyl-o-3-(3-(2h-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl) propionyloxypoly(oxyethylene). May produce an allergic reaction.

· Other hazards

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

· vPvB: Not applicable.

3 Composition/information on ingredients

#### Chemical characterization: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

Dangerous	components:	
108-65-6	2-methoxy-1-methylethyl acetate R10	2.5-10%
1330-20-7	xylene <mark>∭</mark> Xn R20/21; <mark>∭</mark> Xi R38 R10	2.5-10%
64742-95-6	Solvent naphtha (petroleum), light arom. Xi R37 R10	2.5-10%
80-62-6	methyl methacrylate 🗙 Xi R37/38; 🗙 Xi R43; 👸 F R11	½ 2.5%
26761-45-5	neodecansäureglycidylester 🗙 Xi R38; 🗙 Xi R43; 🎇 N R51/53	½ 2.5%
41556-26-7	bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate 🗙 Xi R43; 🏪 N R50/53	½ 2.5%
4008-30-7	s-3-(3-(2h-benzotriazol-2-yl)-5-t-butyl-4-hydroxyphenyl)propionol- ohydroxypoly(oxyethylene);a-3-(3-(2h-benzotriazol-2-yl)-5-butyl-4- hydroxyphenyl)propionyl-o-3-(3-(2h-benzotriazol-2-yl)-5-tert-butyl-4- hydroxyphenyl)propionyloxypoly(oxyethylene) Xi R43; 2 N R51/53	½ 2.5%
868-77-9	2-hydroxyethyl methacrylate Xi R36/38; Xi R43	½ 2.5%

#### 4 First aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 3)





Printing date 12.10.2013

Trade name: C010 2K CLEAR

Revision: 13.08.2012

(Contd. of page 2)

#### 5 Firefighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

# 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
   Environmental precautions:
- Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Do not flush with water or aqueous cleansing agents
- Reference to other sections
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.

#### 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 3
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

#### · Control parameters

· Ingredients with limit values that require monitoring at the workplace:

#### 108-65-6 2-methoxy-1-methylethyl acetate

IOELV (EU) Short-term value: 550 mg/m<sup>3</sup>, 100 ppm Long-term value: 275 mg/m<sup>3</sup>, 50 ppm Skin

(Contd. on page 4)

I R

LB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.10.2013

Revision: 13.08.2012

Trade name: C010 2K CLEAR

	(Contd. of page 3)
1330-20-7 x	ylene
IOELV (EU)	Short-term value: 442 mg/m <sup>3</sup> , 100 ppm
	Long-term value: 221 mg/m <sup>3</sup> , 50 ppm
	Skin
· Additional i	<i>nformation:</i> The lists valid during the making were used as basis.
· Exposure c	ontrols
	otective equipment:
	tective and hygienic measures:
	rom foodstuffs, beverages and feed.
	before breaks and at the end of work.
	protection: Not required.
· Protection	
The glove i preparation.	material has to be impermeable and resistant to the product/ the substance/ the
	ing tests no recommendation to the glove material can be given for the product/ the the chemical mixture.
Selection of degradation	the glove material on consideration of the penetration times, rates of diffusion and the
· Material of	gloves
of quality an substances, to be checke	n of the suitable gloves does not only depend on the material, but also on further marks d varies from manufacturer to manufacturer. As the product is a preparation of several the resistance of the glove material can not be calculated in advance and has therefore ed prior to the application. <b>time of glove material</b>
The exact be has to be ob	reak through time has to be found out by the manufacturer of the protective gloves and served.
· Eye protect	ion:
	ghtly sealed goggles

Information on basic physical and General Information	chemical properties	
Appearance:		
Form:	Liquid	
Colour:	Clear	
Odour:	Characteristic	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	124 °C	
Flash point:	25 °C	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	315 °C	
Decomposition temperature:	Not determined.	





# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.10.2013

Revision: 13.08.2012

# Trade name: C010 2K CLEAR

	(Contd. of page 4
· Self-igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Explosion limits:	
Lower:	1.2 Vol %
Upper:	7.5 Vol %
· Vapour pressure at 20 °C:	10.7 hPa
· Density at 20 °C:	1.01274 g/cm <sup>3</sup>
· Relative density	Not determined.
· Vapour density	Not determined.
<ul> <li>Evaporation rate</li> </ul>	Not determined.
· Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/w	ater): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	45.5 %
VÕC (EC)	461.0 g/l
Solids content:	53.1 %
• Other information	No further relevant information available.

#### 10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

## · Information on toxicological effects

· Acute toxicity:

_	
- F	I D/L CEO voluce relevant for elections
	<ul> <li>LD/LC50 values relevant for classification:</li> </ul>

· LD/LC50 values relevant for classification.			
1330-20-7	' xylene		
Oral	LD50	4300 mg/kg (rat)	
Dermal	LD50	2000 mg/kg (rabbit)	
64742-95-	64742-95-6 Solvent naphtha (petroleum), light arom.		
Oral	LD50	>6800 mg/kg (rat)	
Dermal	LD50	>3400 mg/kg (rab)	
		>10.2 mg/l (rat)	
· Primary irritant effect:			

• on the skin: No irritant effect.

(Contd. on page 6)

LB



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.10.2013

Revision: 13.08.2012

#### Trade name: C010 2K CLEAR

- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.

#### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Harmful to aquatic organisms

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### 13 Disposal considerations

· Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

#### 14 Transport information

· UN-Number · ADR, IMDG, IATA	UN1263	
UN proper shipping name		
· ADR · IMDG, IATA	1263 PAINT PAINT	
•		
Transport hazard class(es)		
· ADR, IMDG, IATA		
A		
· Class	3 Flammable liquids.	
· Class · Label	3 Flammable liquids. 3	
· Label	•	
	•	

(Contd. of page 5)

I R



Printing date 12.10.2013

Revision: 13.08.2012

#### Trade name: C010 2K CLEAR

	(Contd. of page
· Environmental hazards: · Marine pollutant:	No
<ul> <li>Special precautions for user</li> <li>Danger code (Kemler):</li> <li>EMS Number:</li> </ul>	Warning: Flammable liquids. 30 F-E, <u>S-E</u>
<ul> <li>Transport in bulk according to Annex MARPOL73/78 and the IBC Code</li> </ul>	Il of Not applicable.
· Transport/Additional information:	
<ul> <li>ADR</li> <li>Limited quantities (LQ)</li> <li>Transport category</li> <li>Tunnel restriction code</li> </ul>	5L 3 D/E

#### 15 Regulatory information

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

- R10 Flammable.
- R11 Highly flammable.
- R20/21 Harmful by inhalation and in contact with skin.

R36/38 Irritating to eyes and skin.

- R37 Irritating to respiratory system.
- R37/38 Irritating to respiratory system and skin.
- R38 Irritating to skin.
- R43 May cause sensitisation by skin contact.
- R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### · Department issuing MSDS: Product safety department

· Contact: Ms. Topaljikian